

FAG SNV200-F-L + 22222K + H322 + TCV522参数

|    |       |              |       |                 |
|----|-------|--------------|-------|-----------------|
| 尺寸 | $d_1$ | 100          | mm    | -               |
|    | a     | 410          | mm    | -               |
|    | $h_1$ | 248          | mm    | -               |
|    | g     | 175          | mm    | -               |
|    | b     | 120          | mm    | -               |
|    | c     | 45           | mm    | -               |
|    | D     | 200          | mm    | -               |
|    | $g_3$ | 16           | mm    | -               |
|    | $g_T$ | 218          | mm    | -               |
|    | h     | 125          | mm    | -               |
|    | m     | 350          | mm    | -               |
|    | s     | M24          |       | -               |
|    | s     | 22. 225      | mm    | -               |
|    | u     | 26           | mm    | -               |
|    | v     | 32           | mm    | -               |
|    | 重量    | $m_1$        | 21000 | g               |
| 说明 |       | 22222K       |       | 型号, 轴承          |
|    |       | H322         |       | 质量, 紧定套         |
|    |       | FRM200/13. 5 |       | 型号, 定位圈         |
|    |       | TCV522       |       | 型号, Taconite 密封 |
|    |       | DKV200       |       | 型号, 端盖          |
|    |       | SNV200-F-L   |       | 型号, 轴承座         |

FAG SNV200-F-L + 22222K + H322 + TCV522图片





