

IKO CF 20-1BUU参数

| | | | | | |
|----------|--------|------------|--------|----------|---|
| 杆端直径 | STDRT | 20 | mm | 杆端直径 | |
| 型号 | ORDER | CF 20-1BUU | | 型号 | |
| 重量 | MASS | 385.0 | g | 重量 | |
| 主要尺寸 | D | 47 | mm | - | |
| | C | 24 | mm | - | |
| | SD1 | 20 | mm | - | |
| | G | M20x1.5 | | 螺纹规格 | |
| | G1 | 21.0 | mm | 螺纹尺寸 | |
| | B | 25.6 | mm | - | |
| | B1 | 66.1 | mm | - | |
| | B2 | 40.5 | mm | - | |
| | B3 | 9 | mm | - | |
| | C1 | 0.8 | mm | - | |
| | SG1 | 8 | mm | - | |
| | SG2 | 4 | mm | - | |
| | H | 8.0 | mm | - | |
| | SR | 1 | mm | (最小) | |
| | 安装尺寸 | SF | 34.0 | mm | - |
| | 最大拧紧扭矩 | TRQ | 119.00 | N. m | - |
| 基本额定载荷 | CR | 20700 | N | 动载荷 | |
| | COR | 34600 | N | 静载荷 | |
| 最大静态容许负荷 | FMAX | 34600 | N | 最大静态容许负荷 | |

IKO CF 20-1BUU图片



CF...BR



参考资料:<http://www.sozhou.com/p/13552ce8.html>

