

FAG SNV062-F-L + 2206K + H306X100 + FSV506参数

|    |       |            |      |          |
|----|-------|------------|------|----------|
| 尺寸 | $d_1$ | 25.4       | mm   | -        |
|    | a     | 185        | mm   | -        |
|    | $h_1$ | 91         | mm   | -        |
|    | g     | 75         | mm   | -        |
|    | b     | 52         | mm   | -        |
|    | c     | 22         | mm   | -        |
|    | D     | 62         | mm   | -        |
|    | $g_3$ | 10.5       | mm   | -        |
|    | h     | 50         | mm   | -        |
|    | m     | 150        | mm   | -        |
|    | s     | M12        |      | -        |
|    | s     | 12.7       | mm   | -        |
|    | u     | 15         | mm   | -        |
|    | v     | 20         | mm   | -        |
|    | 重量    | $m_1$      | 1900 | g        |
| 说明 |       | 2206K      |      | 型号, 轴承   |
|    |       | H306X100   |      | 质量, 紧定套  |
|    |       | FRM62/5    |      | 型号, 定位圈  |
|    |       | FSV506     |      | 型号, 毛毡密封 |
|    |       | DKV062     |      | 型号, 端盖   |
|    |       | SNV062-F-L |      | 型号, 轴承座  |

FAG SNV062-F-L + 2206K + H306X100 + FSV506图片





