



FAG NJ416-M1 + HJ416参数

尺寸	d	80	mm	-	
	D	200	mm	-	
	B	48	mm	-	
	B ₁	13	mm	-	
	B ₂	22	mm	-	
	D ₁	159.7	mm	-	
	D _{a max}	184	mm	-	
	d ₁	121.8	mm	-	
	d _{a max}	109	mm	-	
	d _{a min}	96	mm	-	
	d _{c min}	124	mm	-	
	E	170	mm	-	
	F	110	mm	-	
	r _{1 min}	3	mm	-	
	r _{a max}	2.5	mm	-	
	r _{al max}	2.5	mm	-	
	r _{min}	3	mm	-	
	s	4.6	mm	距离中心位置的轴向偏移	
	说明		HJ416		型号, L 型圈
	重量	m	8520	g	质量
m ₁		808	g	质量, L 型圈	
基本额定载荷	C _r	395000	N	基本额定动载荷, 径向	
	C _{0r}	365000	N	基本额定静载荷, 径向	
极限转速	n _G	5400	r/min	极限转速	
参考转速	n _B	3750	r/min	参考速度	
疲劳极限载荷	C _{ur}	63000	N	疲劳极限载荷, 径向	

FAG NJ416-M1 + HJ416图片



参考资料:<http://www.sozhou.com/p/248075dc.html>

