




FAG 24026-E1-K30 + AH24026参数

尺寸	d_{1H}	125	mm	-	
	D	200	mm	-	
	B	69	mm	-	
	a	10	mm	-	
	b	14	mm	-	
	D_1	176.1	mm	-	
	d	130	mm	-	
	d_2	146.2	mm	-	
	d_{2G}	M135x2		-	
	d_s	3.2	mm	-	
	l	83	mm	-	
	n_s	6.5	mm	-	
	$r_{a\ max}$	2	mm	-	
	r_{min}	2	mm	-	
	说明		AH24026		型号, 退卸套
	重量	m	8380	g	质量
m_1		890	g	质量, 退卸套	
基本额定载荷	C_r	570000	N	基本额定动载荷, 径向	
计算系数	e	0.31		-	
	Y_1	2.21		-	
	Y_2	3.29		-	
基本额定载荷	C_{0r}	860000	N	基本额定静载荷, 径向	
计算系数	Y_0	2.16		-	
极限转速	n_G	3100	r/min	极限转速	
参考转速	n_B	2170	r/min	参考速度	
疲劳极限载荷	C_{ur}	101000	N	疲劳极限载荷, 径向	

FAG 24026-E1-K30 + AH24026图片



参考资料:<http://www.sozhou.com/p/35da8642.html>