



FAG NJ413-M1 + HJ413参数

极限转速	n_G	7000	r/min	极限转速
参考转速	n_B	4600	r/min	参考速度
疲劳极限载荷	C_{ur}	36000	N	疲劳极限载荷, 径向
尺寸	d	65	mm	-
	D	160	mm	-
	B	37	mm	-
	B_1	11	mm	-
	B_2	18	mm	-
	D_1	127.7	mm	-
	$D_{a\ max}$	146	mm	-
	d_1	98.3	mm	-
	$d_{a\ max}$	88	mm	-
	$d_{a\ min}$	79	mm	-
	$d_{c\ min}$	100	mm	-
	E	135.3	mm	-
	说明		HJ413	
重量	m	4150	g	质量
	m_1	432	g	质量, L 型圈
基本额定载荷	C_r	230000	N	基本额定动载荷, 径向
	C_{0r}	203000	N	基本额定静载荷, 径向
尺寸	F	89.3	mm	-
	$r_{1\ min}$	2.1	mm	-
	$r_{a\ max}$	2.1	mm	-
	$r_{a1\ max}$	2.1	mm	-
	r_{min}	2.1	mm	-
	s	3.5	mm	距离中心位置的轴向偏移

FAG NJ413-M1 + HJ413图片



参考资料:<http://www.sozhou.com/p/40f75709.html>

