

FAG SNV062-F-L + 1206K + H206X014 + FSV506X014参数

|    |                |                |         |          |
|----|----------------|----------------|---------|----------|
| 尺寸 | b              | 52             | mm      | -        |
|    | c              | 22             | mm      | -        |
|    | D              | 62             | mm      | -        |
|    | g <sub>3</sub> | 10.5           | mm      | -        |
|    | h              | 50             | mm      | -        |
|    | m              | 150            | mm      | -        |
|    | s              | M12            |         | -        |
|    | s              | 12.7           | mm      | -        |
|    | u              | 15             | mm      | -        |
|    | v              | 20             | mm      | -        |
|    | 重量             | m <sub>1</sub> | 1900    | g        |
| 说明 |                | 1206K          |         | 型号, 轴承   |
|    |                | H206X014       |         | 质量, 紧定套  |
|    |                | FRM62/7        |         | 型号, 定位圈  |
|    |                | FSV506.014     |         | 型号, 毛毡密封 |
|    |                | DKV062         |         | 型号, 端盖   |
|    | SNV062-F-L     |                | 型号, 轴承座 |          |
| 尺寸 | d <sub>1</sub> | 22.225         | mm      | -        |
|    | a              | 185            | mm      | -        |
|    | h <sub>1</sub> | 91             | mm      | -        |
|    | g              | 75             | mm      | -        |

FAG SNV062-F-L + 1206K + H206X014 + FSV506X014图片





