

FAG SNV215-F-L + 22224K + H3124X403 + TSV524X403参数

| | | | | |
|----|----------------|------------|----|----------|
| 尺寸 | v | 32 | mm | - |
| 重量 | m ₁ | 24500 | g | 质量, 轴承座 |
| 说明 | | 22224K | | 型号, 轴承 |
| | | H3124X403 | | 质量, 紧定套 |
| | | FRM215/14 | | 型号, 定位圈 |
| | | TSV524.403 | | 型号, 迷宫密封 |
| | | DKV215 | | 型号, 端盖 |
| | | SNV215-F-L | | 型号, 轴承座 |
| 尺寸 | d ₁ | 106.363 | mm | - |
| | a | 410 | mm | - |
| | h ₁ | 271 | mm | - |
| | g | 180 | mm | - |
| | b | 120 | mm | - |
| | c | 45 | mm | - |
| | D | 215 | mm | - |
| | g ₃ | 16 | mm | - |
| | g _L | 200.3 | mm | - |
| | h | 140 | mm | - |
| | m | 350 | mm | - |
| | s | M24 | | - |
| | s | 22.225 | mm | - |
| | u | 26 | mm | - |

FAG SNV215-F-L + 22224K + H3124X403 + TSV524X403图片







参考资料:<http://www.sozhou.com/p/6a149b65.html>