

FAG SNV062-F-L + 2206K + H306X014 + DH506X014参数

|    |            |           |      |          |
|----|------------|-----------|------|----------|
| 尺寸 | $d_1$      | 22.225    | mm   | -        |
|    | a          | 185       | mm   | -        |
|    | $h_1$      | 91        | mm   | -        |
|    | g          | 75        | mm   | -        |
|    | b          | 52        | mm   | -        |
|    | c          | 22        | mm   | -        |
|    | D          | 62        | mm   | -        |
|    | $g_3$      | 10.5      | mm   | -        |
|    | h          | 50        | mm   | -        |
|    | m          | 150       | mm   | -        |
|    | s          | M12       |      | -        |
|    | s          | 12.7      | mm   | -        |
|    | u          | 15        | mm   | -        |
|    | v          | 20        | mm   | -        |
|    | 重量         | $m_1$     | 1900 | g        |
| 说明 |            | 2206K     |      | 型号, 轴承   |
|    |            | H306X014  |      | 质量, 紧定套  |
|    |            | FRM62/5   |      | 型号, 定位圈  |
|    |            | DH506.014 |      | 型号, 双唇密封 |
|    |            | DKV062    |      | 型号, 端盖   |
|    | SNV062-F-L |           |      | 型号, 轴承座  |

FAG SNV062-F-L + 2206K + H306X014 + DH506X014图片





