



FAG NJ320-E-TVP2 + HJ320-E参数

尺寸	d	100	mm	-	
	D	215	mm	-	
	B	47	mm	-	
	B ₁	13	mm	-	
	B ₂	20.5	mm	-	
	D ₁	182	mm	-	
	D _{a max}	201	mm	-	
	d ₁	139.4	mm	-	
	d _{a max}	125	mm	-	
	d _{a min}	114	mm	-	
	d _{c min}	143	mm	-	
	E	191.5	mm	-	
	F	127.5	mm	-	
	r _{1 min}	3	mm	-	
	r _{a max}	2.5	mm	-	
	r _{al max}	2.5	mm	-	
	r _{min}	3	mm	-	
	s	1.2	mm	距离中心位置的轴向偏移	
	说明		HJ320-E		型号, L 型圈
	重量	m	7820	g	质量
m ₁		883	g	质量, L 型圈	
基本额定载荷	C _r	450000	N	基本额定动载荷, 径向	
	C _{0r}	425000	N	基本额定静载荷, 径向	
极限转速	n _G	3700	r/min	极限转速	
参考转速	n _B	3400	r/min	参考速度	
疲劳极限载荷	C _{ur}	71000	N	疲劳极限载荷, 径向	

FAG NJ320-E-TVP2 + HJ320-E图片



参考资料:<http://www.sozhou.com/p/81090422.html>

