

FAG SNV160-F-L + 22218K + H318X304 + TCV518X304参数

|    |       |             |       |                 |
|----|-------|-------------|-------|-----------------|
| 尺寸 | $d_1$ | 82.55       | mm    | -               |
|    | a     | 345         | mm    | -               |
|    | $h_1$ | 201         | mm    | -               |
|    | g     | 145         | mm    | -               |
|    | b     | 100         | mm    | -               |
|    | c     | 35          | mm    | -               |
|    | D     | 160         | mm    | -               |
|    | $g_3$ | 15          | mm    | -               |
|    | $g_T$ | 186         | mm    | -               |
|    | h     | 100         | mm    | -               |
|    | m     | 290         | mm    | -               |
|    | s     | M20         |       | -               |
|    | s     | 19.05       | mm    | -               |
|    | u     | 22          | mm    | -               |
|    | v     | 27          | mm    | -               |
|    | 重量    | $m_1$       | 12800 | g               |
| 说明 |       | 22218K      |       | 型号, 轴承          |
|    |       | H318X304    |       | 质量, 紧定套         |
|    |       | FRM160/12.5 |       | 型号, 定位圈         |
|    |       | TCV518.304  |       | 型号, Taconite 密封 |
|    |       | DKV160      |       | 型号, 端盖          |
|    |       | SNV160-F-L  |       | 型号, 轴承座         |

FAG SNV160-F-L + 22218K + H318X304 + TCV518X304图片





