

FAG SNV140-F-L + 20216K + H216X214 + FSV516X214参数

|    |            |            |      |          |
|----|------------|------------|------|----------|
| 尺寸 | $d_1$      | 73.025     | mm   | -        |
|    | a          | 315        | mm   | -        |
|    | $h_1$      | 183        | mm   | -        |
|    | g          | 135        | mm   | -        |
|    | b          | 90         | mm   | -        |
|    | c          | 32         | mm   | -        |
|    | D          | 140        | mm   | -        |
|    | $g_3$      | 15         | mm   | -        |
|    | h          | 95         | mm   | -        |
|    | m          | 260        | mm   | -        |
|    | s          | M20        |      | -        |
|    | s          | 19.05      | mm   | -        |
|    | u          | 22         | mm   | -        |
|    | v          | 27         | mm   | -        |
|    | 重量         | $m_1$      | 9300 | g        |
| 说明 |            | 20216K     |      | 型号, 轴承   |
|    |            | H216.214   |      | 质量, 紧定套  |
|    |            | FRM140/16  |      | 型号, 定位圈  |
|    |            | FSV516.214 |      | 型号, 毛毡密封 |
|    |            | DKV140     |      | 型号, 端盖   |
|    | SNV140-F-L |            |      | 型号, 轴承座  |

FAG SNV140-F-L + 20216K + H216X214 + FSV516X214图片





